

00684.003617

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)	
	:	Examiner: Brij B. Shrivastav
SATOSHI NISHIDA)	
	:	Art Unit: 2859
Appln. No.: 10/807,105)	
	:	
Filed: March 24, 2004)	Confirmation No. 2517
	:	
For: ION CONDUCTIVE ROLLER AND)	
IMAGE FORMING APPARATUS	:	
EMPLOYING ION CONDUCTIVE)	
ROLLER	:	
)	
U.S. Patent No.: 7,187,890 B2	:	
)	
Issued: March 6, 2007	:	November 6, 2007

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

LETTER CALLING ATTENTION TO ERRORS IN PATENT

Sir:

The following minor errors have been noted in the above-mentioned patent:

ON COVER PAGE AT (56) OTHER PUBLICATIONS

“Hiroko et al.)” should read --(Hiroko et al.)--.

COLUMN 4

Line 44, “drum 2” should read --drum 1--.

COLUMN 9

Line 19, “etc. roller-- should read --etc. Condition of the roller--.

COLUMN 12

Line 6, “constitutes” should read --constitute--;

Line 28, “inventors” should read --inventor--; and

Line 59, “inventors” should read --inventor--.

COLUMN 14

Line 1, “of” should be deleted.

COLUMN 16

Line 57, “transfer rollers transfer rollers,” should read --transfer rollers,--.

COLUMN 18

Line 52, “term” should read --terms--.

COLUMN 19

Line 19, “head” should read --heat--.

COLUMN 20

Line 49, “forms” should read --form--; and

Line 64, “deviates” should read --deviate--.

COLUMN 21

Line 16, “station,” should read --stations,--.

COLUMN 22

Line 3, “term” should read --terms--.

These errors appear to be relatively insignificant and, therefore, have not been included in the Certificate of Correction which has been filed separately. However, it is requested that this paper be placed in the filewrapper of the above-identified patent.

Patentee's undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

/Peter Saxon/
Peter Saxon
Attorney for Patentee
Registration No. 24,947

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200
1713504v1